POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEA	ALTH	
		I		Per
Total 1995 Population Est 48,010		Activities Reported	Number	10, 000
Percent Female 50.0	Note: Data in this section are from			
	the 1990 Census. (All other	Public Health Nursing		
Population per square mile 62	sections contain 1995 data	Total clients	1, 021	213
Rank in state 26	except where specified.)	Total visits	2, 773	577
(1=highest population density,	Datis of 1000 Family	Visits: Reason for	200	01
72=lowest population density.)	Ratio of 1989 Family Income to Poverty	Gen hlth promotion Infant/child hlth	388 739	81 154
	(Cumul ative)	Infectious & parasitic		134
_Age Female Male Total	(Cumuracive)	Circulatory	11	2
0-14 4, 960 5, 120 10, 080	Age <100% <185% <200% Total	Prenatal	781	163
15-19 1,670 1,780 3,447	Age <100% <185% <200% Total <5 11 34 38 3,065	Postpartum	730	152
20-24 1, 300 1, 460 2, 760	5-17 10 27 31 8,645			
25-29 1, 190 1, 380 2, 570	18-44 7 20 23 16,773	WIC Participants	1, 168	243
30-34 1,750 1,970 3,720	45-64 5 13 15 8,714	<u>-</u>		
35-39 1, 920 2, 080 4, 000	65+ 9 33 36 6,547	Clinic Visits	5, 046	
40-44 1, 760 2, 080 3, 840			3, 921	816
45-54 2, 890 2, 900 5, 790		Blood pressure	•	
55-64 2, 220 2, 070 4, 290		E. C		I
65-74 2,080 1,870 3,950	CANCEDINCIDENCE	Environmental Contacts Env hazards	762	159
75-84 1,570 1,030 2,600 85+ 680 280 960	C A N C E R I N C I D E N C E	Public health nuisance	309	64
Total 23, 990 24, 020 48, 010	(1993)	rubite hearth hursance	309	04
10001 25, 550 24, 620 46, 610	Primary site Number	School Health		ı
	Col on 20	Vision screenings		. 1
<u>Age Female Male Total</u>	Lung 32	Hearing screenings		
0-17 5, 980 6, 230 12, 210	Breast 48			- 1
18-44 8, 570 9, 640 18, 210	Prostate 37	Health Education		·
45-64 5, 110 4, 970 10, 080	All others 123	Community sessions	32	7
65+ 4, 330 3, 180 7, 510	Total 260	Community attendance	413	86
Total 23, 990 24, 020 48, 010		School sessions	•	.
		School attendance	•	•
E M P L O Y M E N T	LIONG TERM CARE	Staffing - FTEs		I
		Total staff	15	3. 2
Note: Average wage is based on place		Admi ni strators	1	0. 4
of work, not place of residence.	Home Health Agencies 1	Public health nurses	8	1.7
part part of contained	Pati ents 294	Public health nurses Public health aides	<1	0.1
Average wage for jobs covered	Patients per 10,000 pop 61	Environmental specialists	S .	•
by Unemployment Compensation \$20,534		•		İ
	Nursing Homes 5 Licensed beds 550			
Labor Force Estimates Annual Average	Li censed beds 550	LOCAL PUBLIC HEALT	H FUNDIN	
Civilian labor force 26, 677	Occupancy rate (percent) 94.7% Residents on 12/31/95 495		A	Per
Number employed 25, 269	Residents on 12/31/95 495	Total funding \$64	Amount	<u>capita</u>
Number employed 25, 269 Number unemployed 1, 408 Unemployment rate 5. 3%	Residents per 1,000 population aged 65 or older 63	Local taxes \$39	16, 896 \$1 98, 497	13.4/
Unemproyment rate 5.5%	population aged of order of	Lucai caxes 338	70, 437	,o. 30
1	ı			

----- N A T A L I T Y -----

TOTAL LIVE BIRTHS		607	Birth Order	Bi rths	Percent	Marital Status		
			First	251	41	<u>of Mother</u>	Bi rths	Percent
Crude Live Birth Rate		12. 6	Second	206	34	Marri ed	487	80
General Fertility Rat	:e	63. 2	Thi rd	94	15	Not married	120	20
	_		Fourth or higher	56	9	Unknown	0	•
Live births with repo	orted		Unknown	0	•			
congenital anomalies	8	3 . %				Educati on		
			First Prenatal			<u>of Mother</u>	Bi rths	Percent
<u>Delivery Type</u>	Bi rths	Percent	<u>Vi si t</u>	Bi rths	Percent	Elementary or less	s 18	•
Vagi nal after			1st trimester	499	82	Some high school	57	9
previous cesarean	23	4	2nd trimester	89	15	High school	203	33
Forceps	15		3rd trimester	16	•	Some college	192	32
Other vagi nal	435	72	No visits	0	•	Some college College graduate Unknown	137	23
Primary cesarean	78	13	Unknown	3	•	Unknown	0	
Repeat cesarean	56	9						
Other or unknown	0	•	Number of Prenatal			Smoking Status		
			<u>Care visits</u>	Bi rths	Percent	of Mother	Bi rths	Percent
<u>Birth Weight</u>	<u>Births</u>	Percent	No visits	0	•	Smoker	132	22
<1, 500 gm	8	•	1-4 visits	14	•	Nonsmoker	474	78
1, 500-2, 499 gm	26	4. 3	5-9 visits	104	17	Unknown	1	•
2, 500+ gm	573	94. 4	10-12 visits	315	52			
Unknown	0		13 + visits	173	29			
			Unknown	1	•			
Race of Mother White	Total Bi		(under 2,500 gm) <u>Births Percent</u> 33 5.5		mester Percent	2nd Trimester Births Percent		Unknown Percent
Bl ack Other	598 3 6	•	1 .	493	82 ·	87 15 · 2 · .	18	·
Bl ack	3				82 · ·	87 15	18	·
Bl ack Other	3 6 0	:	. 1		Tri mest	87 15 . 2	18 1 Vi si t	:
Black Other Unknown	3 6 0	rtility		3 1st Tri	Trimest	87 15 2 . ter of First Prenatal 2nd Trimester	18 1 Vi si t 0ther/	Unknown
Black Other Unknown	3 6 0 Fe	rtility <u>Rate</u>	. 1	3 1st Tri	Tri mest	87 15 2 . ter of First Prenatal 2nd Trimester Births Percent	18 1 Vi si t 0ther/	:
Black Other Unknown Age of Mother <15	3 6 0 Fe Births	rtility	Low Birth Weight (under 2,500 gm) Births Percent	. 3 . 1st Tri <u>Births</u>	Trimest	87 15 2 . ter of First Prenatal 2nd Trimester Births Percent	18 1 Vi si t 0ther/	Unknown
Black Other Unknown Age of Mother <15 15-17	3 6 0 Fe Births 0 14	rtility Rate	Low Birth Weight (under 2,500 gm) Births Percent 1	1st Tri Births	Tri mest mester Percent	87 15 2 . ter of First Prenatal 2nd Trimester Births Percent 4 .	18 . 1 . Vi si t 0ther/ Bi rths .	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19	3 6 0 Fe Births 0 14 36	rtility Rate 56	Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births . 10 22	Tri mest mester Percent	87 15 2 . ter of First Prenatal 2nd Trimester Births Percent 4 . 11 .	18 Vi si t	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24	3 6 0 Fe Births 0 14 36 135	rtility Rate 56 103	Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 10 22 100	Tri mest mester Percent 61 74	87 15 2 . ter of First Prenatal 2nd Trimester Births Percent 4 . 11 . 28 21	18 Vi si t 0ther/ Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	3 6 0 Fe Births 0 14 36 135 192	rtility Rate 56 103 161	Low Birth Weight (under 2,500 gm) Births Percent 1 . 9 . 9 . 8 .	1st Tri Births 10 22 100 167	Tri mest mester Percent 61 74 87	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11	18 Vi si t Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	3 6 0 Fernal Services Services 14 36 135 192 160	rtility Rate 56 103 161 91	Low Birth Weight (under 2,500 gm) Births Percent 1 9 9 8 4	1st Tri Births 10 22 100 167 141	Tri mest mester Percent 61 74 87 88	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11 16	18 Vi si t Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	3 6 0 Fe Births 0 14 36 135 192 160 59	rtility Rate 56 103 161	Low Birth Weight (under 2,500 gm) Births Percent 1 . 9 . 9 . 8 .	1st Tri Births 10 22 100 167 141 54	Tri mest mester Percent 61 74 87	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11 16 3	18 Vi si t Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	3 6 0 Fe Births 0 14 36 135 192 160 59 11	rtility Rate 56 103 161 91	Low Birth Weight (under 2,500 gm) Births Percent 1 9 9 8 4	1st Tri Births 10 22 100 167 141	Tri mest mester Percent 61 74 87 88	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11 16	18 Vi si t Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	3 6 0 Fe Births 0 14 36 135 192 160 59	rtility Rate	Low Birth Weight (under 2,500 gm) Births Percent 1 9 9 8 4	1st Tri Births 10 22 100 167 141 54	Trimest mester Percent 61 74 87 88 92	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11 16 3	18 Vi si t Bi rths	Unknown
Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	3 6 0 Fe Births 0 14 36 135 192 160 59 11	rtility Rate	Low Birth Weight (under 2,500 gm) Births Percent 1 9 9 8 4	1st Tri Births 10 22 100 167 141 54	Trimest mester Percent 61 74 87 88 92	87 15 2 ter of First Prenatal 2nd Trimester Births Percent 4 11 28 21 21 11 16 3	18 Vi si t Bi rths	Unknown

REPORTED CASES OF SELECTED DISEASES

Di sease	Number
Campylobacter Enteritis	9
Gi ardi asi s	18
Hepatitis Type A	<5
Hepatitis Type B*	<5
Hepatitis NÄNB/C**	0
Legi onnai re' s	<5
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussi s	0
Salmonellosis	<5
Shi gel l osi s	<5
Tubercul osi s	0

- Includes HBV carriers Includes HCV screens

Sexually Transmitted Disease

Chlamydia Trachomatis	12
Genital Herpes	6
Gonorrhea	<5
Nongonococcal Cervicitis	<5
Nongonococcal Urethritis Syphilis	0

----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	11, 059
Non-compliant	80
Percent Compliant	99. 3

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

Age	Deaths	Rate
1-4	•	•
5- 14	1	
15-19	1	
20-34	10	•
35-54	31	227
55-64	44	1, 025
65-74	101	2, 560
75-84	160	6, 143
85+	178	18, 542

TOTAL DEATHS 532 Crude Death Rate 1, 108

Infant		
<u>Mortality</u>	Deaths	Rate
Total Infant	5	
Neonatal	3	
Post-neonatal	2	
Unknown	•	

Race of Mother		
Whi te	4	
Bl ack	•	
0ther	1	•
Unknown	•	

<u>Birth Weight</u>		
<1,500 gm	3	
1,500-2,499 gm	1	
2, 500+ gm	1	
Unknown		

Peri nat al		
<u>Mortality</u>	Deaths	Rate
Total Perinatal	8	•
Neonatal	3	•
Fetal	5	•

Selected		
<u>Underlying Cause</u> D	eaths	Rate
Heart Disease (total)	148	308
Coronary heart disease	100	208
Cancer (total)	124	258
Lung	29	60
Colorectal	13	•
Female breast	6	. *
Cerebrovascul ar Di sease	61	127
Chron Obstr Pulmonary	31	65
Pneumonia & Influenza	15	
Inj uri es	15	
Motor vehicle	9	
Diabetes	17	
Infectious & Parasitic	10	
Sui ci de	5	•

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Al cohol	5
Other Drugs	7
Both Mentioned	1

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor	Persons	Persons
Vehicle Crash	I nj ured	<u>Killed</u>
Total Crashes	619	8
Al cohol - Rel ated	96	1
With Citation:		
For OWI	55	1
For Speeding	67	0
Motorcyclist	32	0
Bi cycl i st	10	0
Pedestri an	12	0

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per <u>Capi ta</u>	DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	e Average <u>Charge</u>	Chargo Per Capi ta
Injury-Related	· Δ11					Al cohol - Rel ate	ત				
Total	544	11. 3	5. 1	\$9, 258	\$105	Total	113	2. 4	5. 9	\$3,677	\$9
<18	51	4. 2	2.6	\$5, 271	\$22	18-44	71	3. 9	6. 2	\$3, 581	\$1 4
18-44	177	9. 7	5. 7	\$11, 532	\$112	45-64	29	2. 9	4. 5	\$3, 292	\$9
45-64	94	9. 3	4. 3	\$7, 963	\$74	45-04	23	۵. ن	4. 3	ψυ, <i>ωυ</i> ω	93
45-04 65+	222	29. 5	5. 6	\$8, 910	\$263	Pneumonia and	[nf] uonzo				
		29. 3	5. 6	şo, 910	3203	Total	268	F C	5 C	\$6, 371	696
Injury: Hip	Fracture	1 1	0 1	010 050	015			5.6	5. 6		\$36
Total	68	1.4	6. 1	\$10, 358	\$15	<18	33	2. 7	4.0	\$3, 964	\$11
65+	. 56	7. 5	6. 3	\$10,622	\$79	45-64	25	2. 5	5. 8	\$8, 414	\$21
Injury: Pois						65+	181	24. 1	6.0	\$6, 646	\$160
Total	39	0.8	2. 2	\$3, 017	\$2		.				
18-44	25	1.4	2. 5	\$3, 410	\$5	Cerebrovascul a		_			
						Total	160	3. 3	5.8	\$7, 975	\$27
Psychi atri c						45-64	24	2.4	8.0	\$15, 813	\$38
Ťotal	227	4. 7	11. 7	\$7, 225	\$34	ĺ 65 +	133	17. 7	5.4	\$6, 392	\$113
<18	63	5. 2	14. 0	\$8, 514	\$44						
18- 44	106	5.8	11. 7	\$6, 779	\$39	Chronic Obstru	ctive Pulr	nonary D	i sease		
45-64	16			, , , , ,		Total	127	2.6	4. 4	\$5, 731	\$15
65+	42	5. 6	10. 7	\$7, 666	\$ 43	<18	14	۵. ٥		40, 101	V10
001	12	0.0	10. /	ψ1, 000	Q10	18-44	22	1. 2	2. 8	\$4, 28 5	\$5
Coronary Heart	Di conco					45-64	28	2.8	5. 5	\$7, 515	\$21
Total	377	7.8	4. 8	\$12, 926	\$101	45-04 65+	63	8. 4	4.8	\$5, 885	\$49
						65+	03	0. 4	4. 0	33, 003	349
45-64	119	11.8	4.7	\$13, 984	\$165	D. D.L.					
65 +	232	30. 9	5. 0	\$12,683	\$392	Drug-Related	4.4				
	1 (0					Total	11	•	•	•	•
Malignant Neop	Lasms (Car	ncers):	All			18- 44	9	•	•	•	•
Total	235	4. 9	6. 4	\$10, 893	\$53						
18- 44	22	1. 2	4. 0	\$8, 678	\$10	Total Hospital:					
45- 64	64	6. 3	6. 4	\$11, 400	\$72	Total	6, 116	127. 3	4. 4	\$6, 760	\$861
65 +	147	19.6	6. 6	\$10, 528	\$206	<18	1,006	82 . 3	3. 2	\$3, 556	\$293
Neoplasms: F	emale Brea				opul at i on)	['] 18-44	1, 697	93. 2	3. 8	\$5, 504	\$513
Total	18	•				45- 64	1, 051	104. 3	4. 5	\$8, 397	\$876
Neoplasms: C	ol o- rectal]	-	,	•	65+	2, 362	314. 3	5. 4	\$8, 299	\$2,608
Total	31	0.6	8. 7	\$14, 921	\$10	1'	۵, ۵۵۳		J. 1	+ =, = = =	, z, 00 0
65+	24	3. 2	9. 5	\$16, 125	\$51	PREVENTA	RIFH	0.5 PI	ТΔΙ	I 7 A T I	0 NS
Neoplasms: L		J. 2	J. J	Ψ10, 1 <i>ω</i> 0	9 31	Total	942	19.6	4.9	\$6, 187	\$121
Total	23	0. 5	8. 3	\$12, 867	\$6	10tai <18	133	10. 9	3. 0	\$3, 344	\$36
iocai	۵۵	U. 3	o. s	φ12, 0 07	ŞÜ	<18	111	6. 1			
D: abata-									3.6	\$4,672	\$28
Di abetes	70	1 ~	r 4	00 050	010	45-64	125	12.4	5.9	\$10, 144	\$126
Total	70	1.5	5. 4	\$6, 850	\$10	65+	573	76. 2	5. 4	\$6, 278	\$479
65+	31	4. 1	6. 5	\$7, 535	\$31						
						* Hospitalizati	ons for co	ondi ti on	s where	timely a	nd
						effective ambul	atory care	e can re	duce th	e likelih	ood of
						hospi tal i zati on	-				